

















# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

## ŠESTIHRANNA STOPKA 32 x 160mm - 32 x 152mm



	Typ	Pracovní šířka mm	Delka mm		Vaha kg	Obj. Č 32x160	Obj. Č 32x152
<b>Feb 2013</b> 	Špice		550		3.5	<b>912083</b>	910083
	Špice		620		4	<b>912084</b>	910084
	Dlato		550		3.5	<b>912293</b>	910293
	Dlato		620		4	<b>912294</b>	910294
	Škrabka na asfalt	75	550		4	<b>912450</b>	910450
	Škrabka	125	550		4	<b>912454</b>	910454
	Tarmac Cutter	115	440		3.8	<b>912555</b>	910555
	Oblá Škrabka	135	550		5.4	<b>912668</b>	910668
	Tie Tamper	100	570		4.2	<b>912351</b>	910351


Phone: +420 313558252

Mob: +420 773677083

email: [miraspares@gmail.com](mailto:miraspares@gmail.com)

# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

## ŠESTIHRANNA STOPKA 28 x 160mm - 28 x 152mm



	Typ	Pracovní šířka mm	Delka mm		Vaha kg	Obj. Č 28x160	Obj. Č 28x152
<b>Feb 2013</b>							
	Špice		550		2.8	<b>912063</b>	910063
	Špice		620		3.3	<b>912064</b>	910064
	Dlato		550		2.8	<b>912273</b>	910273
	Dlato		620		3.3	<b>912274</b>	910274
	Škrabka na asfalt	75	550		3.3	<b>912440</b>	910440
	Škrabka	125	550		3.8	<b>912444</b>	910444
	Škrabka	115	470		3.8	<b>912545</b>	910545
	Oblá Škrabka	135	550		4.9	<b>912666</b>	910666


**Phone: +420 313558252**

**Mob: +420 773677083**

**email: miraspares@gmail.com**

# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

## ŠESTIHRANNÁ STOPKA 25 X 108 mm



	Typ	Pracovní šířka mm	Delka mm		Vaha kg	Obj. Č
<b>Feb 2013</b>						
	Špice		500	⬡	2.1	910043
	Špice		570	⬡	2.5	910044
	Dlato		500	⬡	2.1	910253
	Dlato		570	⬡	2.5	910254
	Škrabka na asfalt	75	500	○	2.6	910430
	Škrabka	115	500		3.2	910435
	Rýpaci Lopatka	120	500	○	4	910636
	Oblá Škrabka	135	550	○	3.3	910664


Phone: +420 313558252

Mob: +420 773677083

email: [miraspares@gmail.com](mailto:miraspares@gmail.com)

# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

## ŠESTIHRANNÁ STOPKA 22 x 82,5 mm



	Typ	Pracovní šířka mm	Delka mm		Vaha kg	Obj. Č
<b>Feb 2013</b>						
	Špice		475		1.5	<b>910023</b>
	Špice		545		1.8	<b>910024</b>
	Dláto	22	475		1.5	<b>910233</b>
	Dláto	22	545		1.8	<b>919234</b>
	Škrabka na asfalt	75	475	 	2.5	<b>910420</b>
	Asphalt Cutter Curved Edge	125	475		3.2	<b>910424</b>
	Obla Škrabka	100	475		2.7	<b>910662</b>


Phone: +420 313558252










Mob: +420 773677083

email: [miraspares@gmail.com](mailto:miraspares@gmail.com)


# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

## SESTIHRANNÁ STOPKA 19 X 50mm



	Typ	Pracovní šířka mm	Delka mm		Vaha kg	Obj. Č
<b>Feb 2013</b> 	ŠPICE		310		0.8	<b>912011</b>
	ŠPICE		510		1.3	<b>912014</b>
	DLÁTO	22	310		0.8	<b>912211</b>
	DLÁTO	22	510		1.3	<b>912214</b>
	Škrabka na asfalt	50 / 60	310		0.9	<b>912121</b>
	Škrabka na asfalt	75	310		1.0	<b>912151</b>

## SESTIHRANNÁ STOPKA 19 X 82mm












	Typ	Pracovní šířka mm	Delka mm		Vaha kg	Obj. Č
	ŠPICE		540			910104
	DLÁTO	22mm	540			910314

Phone +420 313 558252

Mob +420 773677083

email: [miraspares@gmail.com](mailto:miraspares@gmail.com)

# MIRA Construction Spares Czech Republic

VÁLCOVÁ STOPKA 23 X 50mm						
	Typ	Pracovní šířka mm	Delka mm	under collar lgth	Vaha kg	Obj. Č
<b>Feb 2013</b> 	Špice		395	330	1.4	<b>914321</b>
	Dlato		395	330	1.4	<b>914331</b>
VÁLCOVÁ STOPKA 25 X 75mm						
	Typ	Pracovní šířka mm	Delka mm	under collar lgth	Vaha kg	Obj. Č
	Špice		420	330	1.6	<b>914025</b>
	Špice		490	400	1.8	<b>914035</b>
	Špice		540	450	2	<b>915044</b>
	Špice		1090	1000		<b>915549</b>
	Špice		1310	1220		<b>915050</b>
	Špice		1590	1500		<b>915051</b>
	Dlato		330	330	1.6	<b>914225</b>
	Dlato		400	400	1.8	<b>914235</b>
	Dlato		450	450	2	<b>915254</b>
	Dlato		1090	1000		<b>916270</b>
	Dlato		1310	1220		<b>915260</b>
	Dlato		1590	1500		<b>915261</b>
VÁLCOVÁ STOPKA 26 X 70mm						
	Typ	Pracovní šířka mm	Delka mm	under collar lgth	Vaha kg	Obj. Č
	Špice		407	330	1.6	<b>914097</b>
	Dlato		407	330	1.6	<b>914098</b>

Phone 313558252






Mob: 773677083

Email: miraspares@gmail.com












# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

Feb 2013








## WACKER Type Shank 19 x 82mm Hex Shk

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Order Number 32mm Dia collar
	Moil Point	22	450		1.8	<b>910104</b>
	Narrow Chisel	22	450		1.8	<b>912314</b>

## WACKER Type Shank 22 x 108mm Hex Shk

	Description	Working Width mm	Under Collar Length mm	Body	Weight Kg	Order Number Point to Flat
	Moil Point		350		1.4	<b>933118</b>
	Moil Point		450		1.8	<b>933158</b>
	Wide Chisel	27	350		1.2	<b>933139</b>
	Wide Chisel	27	450		1.4	<b>933120</b>
	Wide Chisel	75x110	280		2.6	<b>933130</b>

## WACKER Type Shank 26 x 80 Rnd -SQUARE Coll 38mm

	Description	Working Width mm	Length overall	Body	Weight Kg	Order Number
	Moil Point		450		2	<b>WEH23P</b>
	Narrow Chisel		450		2	<b>WEH23CH</b>
	Wide Chisel		450		2	<b>WEH23WCH</b>

Phone; +420 313558252 Mob: 773677083


email: miraspares@gmail.com




Feb 2013

www.miraspares.eu


# MIRA CONSTRUCTION SPARES CZECH REPUBLIC




## Bosch : 11304 12314 USH27



	Typ	Pracovní šířka mm	Delka mm	Obj. Č
<b>Feb 2013</b>				
	Špice Špice		380 450	914610 914611
	Dlato Dlato		380 450	914620 914621
	Široke Dlato	75	380	914642

## Kango 900 928 950 1400 Type Shank








	Typ	Pracovní šířka mm	Delka mm	Obj. Č
	Špice		380 450 600	914112 914113 914213
	Dlato		380 450 600	914118 914119 914219
	Široke Dlato	50 75	300 300	914475 914476

Phone; +420 313558252 Mob: 773677083  
Email: miraspares@gmail.com




# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

## Hitachi PH65A & Makita HM1400 type

	Typ	Pracovní šířka mm	Delka mm		Obj. Č
<b>Feb 2013</b> 	Špice		410		914614
	Dlato		410		914624
	Široké Dlato	75	400		914632

## Hilti TE 805 / 905


	Typ	Pracovní šířka mm	Delka mm		Obj. Č
	Špice		500		914974
	Dlato		500		914984
	Škrabka	75	500		914996




PHONE +420 313 558 252 Mob:+420 773677083

E Mail: [miraspares@gmail.com](mailto:miraspares@gmail.com)


# MIRA CONSTRUCTION SPARES CZECH REPUBLIC




**Bosch : 11203 11204 11205 11209 11306 11214.7**



	Typ	Pracovní šířka mm	Delka mm	Obj. Č
<b>Feb 2013</b>				
	Spice Spice		380 450	914755 914760
	Dlato Dlato		380 450	914756 914761
	Široke Dlato Široke Dlato	50 75	300 300	914748 914753

**Bosch : 11302 11305 12312 USH10**




	Typ	Pracovní šířka mm	Delka mm	Obj. Č
	Špice Špice		380 450	914735 914740
	Dlato Dlato		380 450	914736 914741
	Široke Dlato Široke Dlato	50 75	300 300	914698 914701

Phone: +420 313558252 Mob: 773677083  
Email: miraspares@gmail.com

# MIRA CONSTRUCTION SPARES CZECH REPUBLIC

## SDS Max Type



	Typ	Pracovní šířka mm	Delka mm	Obj. Č
<b>Feb-13</b> 	ŠPICE ŠPICE ŠPICE		400 450 600	914903 914904 914905
	DLATO DLATO DLATO		400 450 600	914913 914914 914915
	Rypací Dláto Rypací Dláto	50 75	300 300	914924 914935
	Žlábkové Dláto	33		914981
	Bourací Nástroj	44 Square	250	914990

PHONE +420 313558252 Mob: 773677083

E Mail: [miraspares@gmail.com](mailto:miraspares@gmail.com)




## SDS Max Type Spiral Drills

Dia mm	Overall Length	working Length	Description	Order Number
<b>SINGLE CHISEL TYPE</b>				
12	390	250	Single Chisel	MX12X390
12	540	400	Single Chisel	MX12X540
13	390	250	Single Chisel	MX13X390
13	540	400	Single Chisel	MX13X540
14	390	250	Single Chisel	MX14X390
14	540	400	Single Chisel	MX14X540
15	390	250	Single Chisel	MX15X390
15	540	400	Single Chisel	MX15X540
16	450	310	Single Chisel	MX16X450
18	450	310	Single Chisel	MX18X450
20	430	290	Single Chisel	MX20X430
22	430	290	Single Chisel	MX22X430
25	430	290	Single Chisel	MX25X430
<b>CROSS HEAD TYPE</b>				
16	390	250	Cross Head	MX16X390
16	540	400	Cross Head	MX16X540
16	920	800	Cross Head	MX16X920
18	390	250	Cross Head	MX18X390
18	540	400	Cross Head	MX18X540
19	390	250	Cross Head	MX19X390
19	540	400	Cross Head	MX19X540
20	370	230	Cross Head	MX20X370
20	520	380	Cross Head	MX20X520
20	920	800	Cross Head	MX20X920
22	370	230	Cross Head	MX22X370
22	520	400	Cross Head	MX22X520
22	920	800	Cross Head	MX22X920
24	370	230	Cross Head	MX24X370
24	520	400	Cross Head	MX24X520
25	370	230	Cross Head	MX25X370
25	520	400	Cross Head	MX25X520
25	920	800	Cross Head	MX25X920
26	370	230	Cross Head	MX26X370
26	520	400	Cross Head	MX26X520
28	370	250	Cross Head	MX28X370
28	570	450	Cross Head	MX28X570
30	370	250	Cross Head	MX30X370
30	570	450	Cross Head	MX30X570
32	370	250	Cross Head	MX32X370
32	570	450	Cross Head	MX32X570
32	920	800	Cross Head	MX32X920
35	570	450	Cross Head	MX35X570
38	570	450	Cross Head	MX38X570
40	570	450	Cross Head	MX40X570
45	570	450	Cross Head	MX45X570
52	570	450	Cross Head	MX52X570

# MIRA CONSTRUCTION SPARES

## Roztoky 226, 27023 Krivoklát

### SDS Plus




	Typ	Pracovní šířka mm	Delka mm	Obj. Č
<b>Feb-13</b> 	Špice		250	914814
	Dlato		250	914824
	Žlábkové Dlato	22	250	914854
	Rypací Dlato	40	250	914844
	Rypací Dlato	75	165	914846

PHONE +420 313558252 **Mob: 773677083**  
**E Mail: miraspares@gmail.com**

Marilyn Cartwright

MIRA CONSTRUCTION SPARE **PREMIUM LINE - QFDS**  
**Roztoky 226, 27023 Krivoklat AND CROSS HEAD TYPE**

ic: 74294253 DIC: CZ525424397  
 email : miraspares@gmail.com



Feb 2013

**SDS Plus Spiral Drills  
 (single chisel - Professional )**

Dia mm	Overall Length	working Length	Order Number
5	110	50	S05.0X110
5	160	100	S05.0X160
5	210	150	S05.0X210
5.5	110	50	S05.5X110
5.5	160	100	S05.5X160
5.5	210	150	S05.5X210
5.5	260	200	S05.5X260
6	110	50	S06.0X110
6	160	100	S06.0X160
6	210	150	S06.0X210
6.5	110	50	S06.5X110
6.5	160	100	S06.5X160
6.5	210	150	S06.5X210
6.5	250	200	S06.5X250
7	110	50	S07.0X110
7	160	100	S07.0X160
8	110	50	S08.0X110
8	160	100	S08.0X160
8	210	150	S08.0X210
8	260	200	S08.0X260
8	450	400	S08.0X450
10	110	50	S10.0X110
10	160	100	S10.0X160
10	210	150	S10.0X200
10	260	200	S10.0X260
10	310	250	S10.0X310
10	450	400	S10.0X450
10	600	550	S10.0X600
10	1000	950	S10X1000
12	160	100	S12.0X160
12	210	150	S12.0X200
12	250	200	S12.0X250
12	300	250	S12.0X300
12	450	400	S12.0X450
12	600	550	S12.0X600
12	1000	950	S12X1000
14	200	150	S14.0X200
14	250	200	S14.0X250
14	300	250	S14.0X300
14	450	400	S14.0X450
14	600	550	S14.0X600
14	1000	950	S14.0X1000

**SDS Plus Spiral Drills (single chisel - Professional)**

Dia mm	Overall Length	working Length	Order Number
16	200	160	S16.0X200
16	250	200	S16.0X250
16	300	250	S16.0X300
16	450	400	S16.0X450
16	600	550	S16.0X600
16	800	750	S16.0X800
16	1000	950	S16.0X1000
18	200	150	S18.0X200
18	250	200	S18.0X250
18	300	250	S18.0X300
18	450	400	S18.0X450
18	600	550	S18.0X600
18	1000	950	S18.0X1000
20	250	200	S20.0X250
20	300	250	S20.0X300
20	450	400	S20.0X450
20	600	550	S20.0X600
20	1000	950	S20.0X1000
22	450	400	S22.0X450
22	600	550	S22.0X600
22	1000	950	S22.0X1000
25	450	400	S25.0X450
25	600	550	S25.0X600
25	1000	950	S25.0X1000
26	450	400	S26X450
28	450	400	S28X450
30	450	400	S30X450

**SDS PLUS CROSS HEAD TYPE**

16	250	200	9SX16X250
16	450	400	9SX16X450
18	250	200	9SX18X250
18	450	400	9SX18X450
20	250	200	9SX20X250
20	450	400	9SX20X450
22	250	200	9SX22X250
22	450	400	9SX22X450
24	250	200	9SX24X250
24	450	400	9SX24X450
25	250	200	9SX25X250
25	450	400	9SX25X450
28	250	200	9SX28X250
28	450	400	9SX28X450